



## Bayonet Filler Breather Mini Model FCSM Series



### Specifications

- Maximum flow rate 10 CFM, 75 GPM@.58 PSI
- Steel shell nickel chrome
- 10 or 40 micron foam filtration
- 2.6"-30 mesh basket standard
- 3 hole steel zinc plated mounting flange with 1.63" bolt circle
- 1.20 hole required for screen
- Cork-rubber gaskets standard
- 10-32 x 1/2" thread forming screws standard
- Operating temperature -22°F to +212°F (-30°C to +100°C)
- Compatible with petroleum and mineral based fluids

See Technical Bulletin TB.TA07.708, TB.TA10.708 and TB.TA11.708 for further information at (Technical Data - [www.lenzinc.com](http://www.lenzinc.com)).



FCSM



## Female Thread Breather Model NYF-12

### Specifications


- Maximum flow rate 29 GPM, 3.9 CFM
- Glass Filled Nylon Cap
- 3/4" NPT Female thread
- Operating temperature -22°F to +212°F (-30°C to +100°C)
- Compatible with petroleum, mineral, water based fluids
- 40 micron foam filter

### Options Available

- Dipstick option (250 minimum qty.) for LENZ to mark



NYF Series Performance Graphs




## Dimensional Detail

Model	Port		D	h1	h2
NYF-12	3/4" NPT	in.	1.5	0.8	0.4
	3/4" BSPP	mm	37.5	20.0	10.5


## Ordering Code

NYF - 12



Dipstick	
Omit	None
Dip	Specify Length

See dipstick reference chart page 73b





## Dipstick reference chart

	Series	Markings	Type of Dipstick	Page	Lead Time
<b>Quantity</b>	<b>NY, NY-LVB, NYF, LDP</b>			<b>17, 24, 30b</b>	
<b>1-24</b>	Standard Length	No Markings	Cylindrical		2 Weeks
<b>25-99</b>	Cut to Length	No Markings	Cylindrical		2 Weeks
<b>100-249</b>	Cut to Length	Hash Markings	Cylindrical		4-6 Weeks
<b>250+</b>	Cut to Length	Hash Markings	Cylindrical		4-6 Weeks
<b>250+</b>	Cut to Length	Laser Markings	Blade		8 Weeks
<b>Quantity</b>	<b>NYPF, NYPO, LDP</b>	<b>Markings</b>	<b>Type of Dipstick</b>	<b>34, 35b</b>	
<b>1-24</b>	Standard Length	No Markings	Cylindrical		2 Weeks
<b>25-99</b>	Cut to Length	No Markings	Cylindrical		2 Weeks
<b>100-249</b>	Cut to Length	Hash Markings	Cylindrical		4-6 Weeks
<b>250+</b>	Cut to Length	Hash Markings	Cylindrical		4-6 Weeks
<b>250+</b>	Cut to Length	Laser Markings	Blade		8 Weeks
<b>Quantity</b>	<b>NY-B, XLPO</b>	<b>Markings</b>	<b>Type of Dipstick</b>	<b>9, 34b</b>	
<b>1-24</b>	Standard Length	No Markings	Blade		2 Weeks
<b>25-99</b>	Cut to Length	No Markings	Blade		2 Weeks
<b>100-249</b>	Cut to Length	Laser Markings	Blade		4-6 Weeks
<b>250+</b>	Cut to Length	Laser Markings	Blade		8 Weeks
<b>Quantity</b>	<b>XL, 3 &amp; 4, caps</b>	<b>Markings</b>	<b>Type of Dipstick</b>	<b>5, 6, 7b</b>	
<b>1-24</b>	Standard Length	No Markings	Blade		2 Weeks
<b>25-99</b>	Cut to Length	No Markings	Blade		2 Weeks
<b>100-249</b>	Cut to Length	Stamp Markings	Blade		4-6 Weeks
<b>250+</b>	Cut to Length	Laser Markings	Blade		8 Weeks
<b>Quantity</b>	<b>BF, LMB</b>	<b>Markings</b>	<b>Type of Dipstick</b>	<b>20, 22b</b>	
<b>1-24</b>	Standard Length	No Markings	Blade		2 Weeks
<b>25-99</b>	Cut to Length	No Markings	Blade		4-6 Weeks
<b>100-249</b>	Cut to Length	Stamp Markings	Blade		8 Weeks
<b>250+</b>	Cut to Length	Laser Markings	Blade		8 Weeks
<b>Quantity</b>	<b>ABFT, AFBB, AFBM</b>	<b>Markings</b>	<b>Type of Dipstick</b>	<b>23, 26b</b>	
<b>1-24</b>	Standard Length	No Markings	Blade		4-6 Weeks
<b>25-99</b>	Cut to Length,	No Markings	Blade		4-6 Weeks
<b>100-249</b>	Cut to Length	Stamp Markings	Blade		8 Weeks
<b>250+</b>	Cut to Length	Laser Markings	Blade		8 Weeks
<b>Quantity</b>	<b>NY-9-M52</b>	<b>Markings</b>	<b>Type of Dipstick</b>	<b>29b</b>	
<b>1-24</b>	Standard Length	No Markings	Blade		4-6 Weeks
<b>25-99</b>	Cut to Length	No Markings	Blade		4-6 Weeks
<b>100-249</b>	Cut to Length	Stamp Markings	Blade		8 Weeks
<b>250+</b>	Cut to Length	Laser Markings	Blade		8 Weeks